

JOURNAL OF
Neurobiology

Volume Contents

Vol. 32, No. 1, January 1997

Selective Blockade of the Delayed Rectifier Potassium Current by Tacrine in *Drosophila* / 1

Derek Kraliz and Satpal Singh

Resting Potential of Rat Cerebellar Granule Cells during Early Maturation *In Vitro* / 11

Ute Becherer, Jean-Luc Rodeau, and Anne Feltz

Glial Cell Line-Derived Neurotrophic Factor (GDNF) Is a Neurotrophic Factor for Sensory Neurons: Comparison with the Effects of the Neurotrophins / 22

Christine R. Matheson, Josette Carnahan, Janal L. Urich, Dora Bocangel, T. J. Zhang, and Qiao Yan

Activin Receptor mRNA Expression by Neurons of the Avian Ciliary Ganglion / 33

Ksenija Kos and James N. Coulombe

***Xenopus* Pax-6 and Retinal Development / 45**

Nicolas Hirsch and William A. Harris

Capacitative Ca^{2+} Influx in the Neural Retina of Chick Embryo / 62

Yoko Sakaki, Miho Sugioka, Yutaka Fukuda, and Masayuki Yamashita

Neuronal-Type Acetylcholine Receptors and Regulation of $\alpha 7$ Gene Expression in Vertebrate Skeletal Muscle / 69

Suzanne J. Romano, Phyllis C. Pugh, J. Michael McIntosh, and Darwin K. Berg

Opposing Regulation of Ciliary Neurotrophic Factor Receptors on Neuroblastoma Cells by Distinct Differentiating Agents / 81

Rena L. Malek and Stanley W. Halvorsen

Regulation of Voltage- and Ligand-Gated Currents in Rat Hippocampal Progenitor Cells *In Vitro* / 95

Dinah W. Y. Sah, Jasodhara Ray, and Fred H. Gage

Axon-Mediated Gene Transfer of Retinal Ganglion Cells *In Vivo* / 111

E. Garcia-Valenzuela, R. Rayanade, J. C. Perales, C. A. Davidson, R. W. Hanson, and S. C. Sharma

Voltage-Activated and Odor-Modulated Conductances in Olfactory Neurons of *Drosophila melanogaster* / 123

Adrienne E. Dubin and Greg L. Harris

Cover: Capacitive calcium influx found in the neural retina of chick embryo. Changes in intracellular calcium concentrations are measured in the vertical slice of the retina by Fura-2 calcium fluorescence imaging. See Sasaki et al. pages 62–68, this issue.

Vol. 32, No. 2, February 1997

A Novel Glutamate-Mediated Inhibitory Mechanism Linked with Ca^{2+} / Calmodulin-Dependent Protein Kinase II in Identified *Euhadra* Neurons / 139

Kazuko Watanabe, Tetsu Yamamoto, Satoru Ozono, Sachio Nagasaki, and Minoru Onozuka

Electrically Induced Changes in Ca^{2+} in *Helisoma* Neurons: Regional and Neuron-Specific Differences and Implications for Neurite Outgrowth / 150

Paul J. Torrealano and Christopher S. Cohan

Distribution of Cholinergic Neuronal Differentiation Factor/Leukemia Inhibitory Factor Binding Sites in the Developing and Adult Rat Nervous System *In Vivo* / 163

Liequn Qiu, Marie F. Towle, Paulette Bernd, and Keiko Fukada

Okadaic Acid Reversibly Inhibits Neurite Outgrowth in Embryonic Dorsal Root Ganglion Neurons / 193

Benoit I. Giasson and Walter E. Mushynski

Growth Hormone, Insulin-like Growth Factor I, and Motoneuron Size / 202

L. Chen, P. K. Lund, S. B. Burgess, B. E. Rudisch and D. L. McIlwain

Metamorphic Remodeling of the Primary Olfactory Projection in *Xenopus*: Developmental Independence of Projections from Olfactory Neuron Subclasses / 213

John O. Reiss and Gail D. Burd

Development of Polarity in Cerebellar Granule Neurons / 223

Sharon K. Powell, Rodolfo J. Rivas, Enrique Rodriguez-Boulán, and Mary E. Hatten

Axonal Transport of Synaptic Vesicle Proteins in the Rat Optic Nerve / 237

Jia-Yi Li and Annica Dahlström

Cover: Polarity of cerebellar granule neurons *in vitro*. Granule neurons cultured at low density develop Tau-1 positive axons (fluorescein) and MAP-2 positive dendrites (rhodamine). See Powell et al., pages 223–236, this issue.

Vol. 32, No. 3, March 1997

Changes in Expression of Ciliary Neurotrophic Factor (CNTF) and CNTF-Receptor α after Spinal Cord Injury / 251

Nelson M. Oyesiku, Josiah N. Wilcox, and Donald J. Wigston

Neurotrophin-3- and Norepinephrine-Mediated Adrenergic Differentiation and the Inhibitory Action of Desipramine and Cocaine / 262

Jian-Min Zhang, Jessica Dix, Carol J. Langtimm-Sedlak, Thomas Trusk, Brett Schroeder, Raymond Hoffmann, Aldo D. Strosberg, John W. Winslow, and Maya Sieber-Blum

Larval Chemosensory Projections and Invasion of Adult Afferents in the Antennal Lobe of *Drosophila* / 281

Madeleine Tissot, Nanaë Gendre, Andrew Hawken, Klemens F. Störtkuhl, and Reinhard F. Stocker

Role of Laminin in Axonal Extension from Olfactory Receptor Cells / 298

Karl W. Kafitz and Charles A. Greer

Elements between the Protein-Coding Regions of the Adjacent $\beta 4$ and $\alpha 3$ Acetylcholine Receptor Genes Direct Neuron-Specific Expression in the Central Nervous System / 311

Xiangdong Yang, Fei Yang, Dmitry Fyodorov, Feng Wang, Jennifer McDonough, Karl Herrup, and Evan Deneris

Mutations in the *Drosophila* Neuroglial Cell Adhesion Molecule Affect Motor Neuron Pathfinding and Peripheral Nervous System Patterning / 325

Stephen G. Hall and Allan J. Bieber

Molecular Cloning and Brain Localization of HZF-2 α , a New Member of the Rev-erb Subfamily of Orphan Nuclear Receptors / 341

Sandra Peña-de-Ortiz and Gordon A. Jamieson, Jr.

Cover: *Neuroglial* protein expression in the temperature-sensitive *nrg*³ mutation shows abnormal accumulation of the protein in Neuroglial-expressing cell bodies. The protein was visualized in a filleted embryo preparation by staining with the monoclonal antibody 3F4, followed by fluorescein-conjugated goat anti-mouse secondary antibodies. See Hall and Bieber, pages 325–340, this issue.

Vol. 32, No. 4, April 1997

Role of Presynaptic Inputs to Proprioceptive Afferents in Tuning Sensorimotor Pathways of an Insect Joint Control Network / 359

A. E. Sauer, A. Büschges, and W. Stein

Na⁺ and Ca²⁺ Channel Expression in Cultured Newt Retinal Pigment Epithelial Cells: Comparison with Neuronal Types of Ion Channels / 377

Hideto Sakai and Takehiko Saito

Androgen Control of Vocal Control Region Volumes in a Wild Migratory Songbird (*Junco hyemalis*) Is Region and Possibly Age Dependent / 391
Cynthia C. Gulledge and Pierre Deviche

Development of the Anterior Commissure in the Opossum: Midline Extracellular Space and Glia Coincide with Early Axon Decussation / 403
D. M. Cummings, D. Malun, and P. C. Brunjes

Cortex-Specific Distribution of Membrane-Bound Factors that Promote Neurite Outgrowth of Mitral Cells in Culture / 415
Tatsumi Hirata and Hajime Fujisawa

Roles of Photoperiod and Testosterone in Seasonal Plasticity of the Avian Song Control System / 426
G. Troy Smith, Eliot A. Brenowitz, and John C. Wingfield

Cover: A micrograph obtained from a retina 15 days after surgical removal of the original retina. PCNA (Proliferating Cell Nuclear Antigen) was used as a marker for actively proliferating cells in the regenerating retina. The left image shows fluorescence image of the regenerating retina. Several PCNA-immunoreactive cells are detected along the vast vitreal surface of the retina. The same field was photographed under both fluorescence and translucent lights in the right image. The PCNA-immunoreactive cells are lightly pigmented. This may suggest that RPE cells are about to dedifferentiate and proliferate, while losing pigment granules. See Sakai and Saito, pages 377-390, this issue.

Vol. 32, No. 5, May 1997

Neuroblast Ablation in *Drosophila* P[GAL4] Lines Reveals Origins of Olfactory Interneurons / 443
Reinhard F. Stocker, Gertrud Heimbeck, Nanaë Gendre, and J. Steven de Belle

Tissue-Specific Alternative Splicing of *Shaker* Potassium Channel Transcripts Results from Distinct Modes of Regulating 3' Splice Choice / 457
Linda E. Iverson, John R. Mottes, Stephanie A. Yeager, and Susan E. Germeraad

Defective Neurite Extension Is Caused by a Mutation in Amyloid β /A4 ($A\beta$) Protein Precursor Found in Familial Alzheimer's Disease / 469
Hai Ling Li, Jean-Marc Roch, Mary Sundsmo, Deborah Otero, Sangram Sisodia, Ronald Thomas, and Tsunao Saitoh

Mating-Induced Expression of *c-fos* in the Male Syrian Hamster Brain: Role of Experience, Pheromones, and Ejaculations / 481
Sara Kollack-Walker and Sarah W. Newman

Increased Inferior Olivary Neuron and Cerebellar Granule Cell Numbers in Transgenic Mice Overexpressing the Human *Bcl-2* Gene / 502
H. S. Zanjani, M. W. Vogel, N. Delhay-Bouchaud, J. C. Martinou, and J. Mariani

Circadian Rhythms in Screening Pigment and Invaginating Organelles in Photoreceptor Terminals of the Housefly's First Optic Neuropile / 517

E. Pyza and I. A. Meinertzhagen

Cover: Computer 3-D reconstructions from serial EM of part of the axon and the dendritic spines of L2, a monopolar cell in the first optic neuropile of the fly's optic lobe, and two of its six inputs, the cylindrical photoreceptor terminals. The latter are the most recently identified site of circadian rhythmicity in the housefly, *Musca*, amongst granules of screening pigment, movements of which are analyzed in Pyza and Meinertzhagen (pp. 517–529, this issue) that complement previous descriptions of circadian changes in L2 (E. Pyza and I.A. Meinertzhagen, *J. Neurosci.* 15: 407–418, 1995).

Vol. 32, No. 6, June 5, 1997

Accumulation and Proliferation of Adult Leg Muscle Precursors in *Manduca* Are Dependent on Innervation / 531

Christos Consoulas and Richard B. Levine

Neuronal Precursors of the Adult Rat Subependymal Zone Persist into Senescence, with No Decline in Spatial Extent or Response to BDNF / 554

Steven A. Goldman, Barry Kirschenbaum, Catherine Harrison-Restelli, and Howard T. Thaler

Myosin Functions in *Xenopus* Retinal Ganglion Cell Growth Cone Motility *In Vivo* / 567

Maureen L. Ruchhoeft and William A. Harris

Embryonic Rat Spinal Cord Neurons Change Expression of Glycine Receptor Subtypes during Development *In Vitro* / 579

Michelle D. Withers and Paul A. St. John

Aberrant Expression of c-Fos Accompanies Photoreceptor Cell Death in the *rd* Mouse / 593

Kathryn A. Rich, Yutian Zhan, and Janet C. Blanks

Structural Organization of Developing Acetylcholine Receptor Aggregates / 613

Dennis D. Kunkel and Jes Stollberg

Dynamics of Process Formation during Differentiation of Tectal Neurons in Embryonic Zebrafish / 627

Rolf J. Kaethner and Claudia A. O. Stuermer

ERRATUM

Molecular Cloning and Brain Localization of HZF-2 α , a New Member of the Rev-erb Subfamily of Orphan Nuclear Receptors / 640

Sandra Peña-de-Ortiz and Gordon A. Jamieson, Jr.

Cover: Neurons arising from an adult rat subependymal zone explant, taken from a 20-month-old senescent rat forebrain. Raised in BDNF (20 ng/mL), and double-labeled after 12 days *in vitro* for the neuronal markers MAP-2 (*green*) and Hu protein (*red*). This suggests the persistence of subependymal neuronal progenitor cells into late adulthood. See Goldman et al., pages 554–566, this issue.

Vol. 32, No. 7, June 20, 1997

The Central Pathway of Primary Olfactory Axons Is Abnormal in Mice Lacking the N-CAM-180 Isoform / 643

H. Treloar, H. Tomasiewicz, T. Magnuson, and B. Key

Presence of Novel N-CAM Glycoforms in the Rat Olfactory System / 659

B. Dowsing, A. Puche, C. Hearn, and B. Key

Neurite Growth-Inhibitory Activity in the Adult Rat Cerebral Cortical Gray Matter / 671

A. Ghosh and S. David

Ethanol Influences on the Chick Embryo Spinal Cord Motor System. II. Effects of Neuromuscular Blockade and Period of Exposure / 684

Douglas M. Bradley, Francesca D. Beaman, D. Blaine Moore, and Marieta Barrow Heaton

Immunolocalization of *Drosophila* Eye-Specific Diacylglycerol Kinase, *rdgA*, Which Is Essential for the Maintenance of the Photoreceptor / 695

Ichiro Masai, Emiko Suzuki, Chun-Sik Yoon, Ayako Kohyama, and Yoshiki Hotta

***pox-neuro* Is Required for Development of Chemosensory Bristles in *Drosophila* / 707**

Takeshi Awasaki and Ken-ichi Kimura

Immortalization and Controlled *In Vitro* Differentiation of Murine Multipotent Neural Crest Stem Cells / 722

Mahendra S. Rao and David J. Anderson

Author Index to Volume 32 / 749

Subject Index to Volume 32 / 752

Volume Contents / I

Cover: A clone of cells containing neurons (stained with anti-neurofilament antibody in orange) and Schwann cells (stained with anti-GFAP antibody in green) that developed from a single p75⁺, nestin⁺ mouse neural crest stem cell. See Rao and Anderson, pages 722–746, this issue.

